


# PCI OF AMERICA

PCI of America  
2701 Tower Oaks Blvd  
Suite 300  
Rockville, MD 20852

## MATERIAL SAFETY DATA SHEET



NFP Rating  
(301) 468-1700  
(800) 222-1455  
F. (301) 468-1744

### 1. IDENTIFICATION

PRODUCT NAME:	HURRISAFE 9100 PAINT PREP		
CHEMICAL NAME:	Alkaline Water Treatment		
DEPARTMENT OF TRANSPORTATION	HAZARD CLASSIFICATION: None	SHIPPING NAME: Cleaning Compound, Class 55	

### II. PHYSICAL DATA

BOILING POINT,(F )	212F	VAPOR PRESSURE AT 20 C	14.2 mm Hg
SPECIFIC GRAVITY (Water=1)	1,01	WATER SOLUBILITY	Completely
VAPOR DENSITY (air=1)	0,62	DENSITY	8.450
PERCENT VOLATILE BY VOLUME (%)	N/A	EVAPORATION RATE WATER=1	1
pH (of concentrate)	12,4	VOC:SCAQMD METHOD 313-91	15 gm/l at a 1:2 Dilution 47 gm/l in Concentrate
APPEARANCE AND ODOR: Green in color Non offensive odor			

### III. INGREDIENTS

MATERIAL	%	OSHAL PEL	TLV (units)	HAZARD
2-butoxyethanol	5-10%	25ppm	120 mg/m3	N/A
"" CAS # 111-76-2	N/A	N/A	TWA-25ppm	N/A
N/A	N/A	N/A	N/A	
N/A	N/A	N/A	N/A	

### IV. FIRE & EXPLOSION HAZARD DATA

FLASH POINT (test method)	None/cc	FLAMMABLE LIMITS: None	LOWER: None	UPPER: None
EXTINGUISHING	N/A			
SPECIAL FIRE FIGHTING PROCEDURES	N/A			
UNUSUAL FIRE AND EXPLOSION HAZARDS	N/A			

### V. HEALTH HAZARD DATA

TLV AND SOURCE	Not established
ACUTE EFFECTS OF OVEREXPOSURE	Direct eye contact and prolonged or repeated skin contact may cause irritation seen as redness.
SKIN CONTACT	May cause dryness and irritation

2701 Tower Oaks Blvd  
 Suite 300  
 Rockville, MD 20852

HURRISAFE 9100 PAINT PREP

Page 2 of 2

Emergency and First Aid Procedures

(800)222-1455  
 (301) 468-1700  
 Fax (301) 468-1744

SKIN:	Flush thoroughly with soap and water. Dry and apply skin lotion.
INHALATION:	None
EYE:	Flush eyes with water for 15 minutes, lifting the lower and upper lids Obtain attention if irritation persists.
NOTES TO PHYSICIAN:	This is relatively innocuous substance not expected to cause harm. Should treatment ever be required, it would be directed at control of symptoms.

**VI. REACTIVITY DATA**

STABILITY	STABLE: Yes	UNSTABLE: No	CONDITIONS TO AVOID None
INCOMPATIBILITY	Avoid oxidizing materials.		
HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS			None
HAZARDOUS POLYMERIZATION	May Occur No	WILL NOT OCCUR Yes	CONDITIONS TO AVOID: None

**VII. SPILL OR LEAK PROCEDURES**

STEPS TO BE TAKEN IF MATERIAL IS SPILLED	Small Spills: Flush with water. Large Spills: Absorb with sawdust, sand or earth.
WASTE DISPOSAL METHOD	May be disposed of in sewer system. Consult local state, county or Federal regulations for applicable laws pertaining to your areas.

**VIII. SPECIAL PROTECTION INFORMATION**

RESPIRATORY PROTECTION (type):	None
VENTILATION	If desired. Local exhaust is sufficient.
PROTECTIVE GLOVES	Use if long exposure is expected.
EYE PROTECTION	If splashing is expected use goggles
OTHER PROTECTIVE EQUIPMENT	Wear plastic apron if excessive splashing is expected. If clothing becomes soaked, remove, shower, and wash clothing.

**IX. SPECIAL PRECAUTIONS**

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING	Store in cool dry area. Prevent freezing, if frozen allow to thaw, stir well and re-use.